

# **Certificate of Compliance**

Certificate:	70143028	Master Contract:	154649
Project:	70143028	Date Issued:	2017-06-15
Issued to:	ITW Welding Group 1635 W Spencer St Appleton, Wisconsin 54912-1079 USA Attention: Therese Christianson-Plat	to	

The products listed below are eligible to bear the CSA Mark shown with adjacent indicators 'C' and 'US' for Canada and US or with adjacent indicator 'US' for US only or without either indicator for Canada only.



Issued by: Sam Zaffino Sam Zaffino

#### <u>PRODUCTS</u> CLASS - C561103 - WELDING MACHINES CLASS - C561183 - WELDING MACHINES-Certified to US Standards

#### Part A: MODEL: BIG BLUE 800 DUO AIRPAK, BIG BLUE 800 DUO PRO

Engine driven welder/generator, rated as follows:

- Welding Mode CC/DC/Stick Weld Output Range 20 – 800 A Rated Welding Output, Stick: (Single Operator) 800A, 38V DC, 100% Duty Cycle (Dual Operator) 400A, 36V DC, 100% Duty Cycle (each side)
- Welding Mode CC/DC/TIG Weld Output Range 20 – 800 A Rated Welding Output, TIG: (Single Operator) 800A, 38V DC, 100% Duty Cycle (Dual Operator) 400A, 26V DC, 100% Duty Cycle (each side)
- Welding Mode CV/DC/MIG/FCAW Weld Output Range 15 – 38 V Rated Welding Output, MIG: (Single Operator) 800A, 38V DC, 100% Duty Cycle (Dual Operator) 400A, 34V DC, 100% Duty Cycle (each side)
- Max OCV 92 VDC



 Certificate:
 70143028

 Project:
 70143028

Master Contract: 154649 Date Issued: 2017-06-15

• Auxiliary Power Rating: 120/240Vac 1P 60Hz, 4,080 Watts Continuous 240Vac 3P 60Hz, 20,000 Watts Continuous

#### Part B: MODEL: BIG BLUE 600 AIRPAK

Engine driven welder/generator, rated as follows:

- Welding Mode CC/DC/Stick Weld Output Range 20 – 600 A Rated Welding Output, Stick: 575A, 43V DC, 100% Duty Cycle 600A, 44V DC, 60% Duty Cycle
- Welding Mode CC/DC/TIG Weld Output Range 20 – 600 A Rated Welding Output, TIG: 575A, 33V DC, 100% Duty Cycle 600A, 34V DC, 60% Duty Cycle
- Welding Mode CV/DC/MIG/FCAW Weld Output Range 15 – 44 V Rated Welding Output, MIG: 575A, 42.75V DC, 100% Duty Cycle 600A, 44V DC, 60% Duty Cycle
- Max OCV 92 VDC
- Auxiliary Power Rating: 120/240Vac 1P 60Hz, 4,080 Watts Continuous 240Vac 3P 60Hz, 20,000 Watts Continuous

#### **APPLICABLE REQUIREMENTS**

CAN/CSA – E60974-1:12 - Arc Welding Equipment; Part 1: Welding Power Source. ANSI/IEC 60974-1: March 2008 - Arc Welding Equipment; Part 1: Welding Power Source



### Supplement to Certificate of Compliance

**Certificate:** 70143028

Project

**Master Contract:** 154649 (005071\_0\_000)

The products listed, including the latest revision described below, are eligible to be marked in accordance with the referenced Certificate.

## Product Certification History Date Description

70143028	2017-06-15	Original evaluation of models BB600 & BB800 AirPak under the CPC
		program